



Welcome United States Patent and Trademark Office

☐ Search Session History[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Edit an existing query or
compose a new query in the
Search Query Display.

Mon, 25 Jun 2007, 11:25:55 AM EST

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

#1 (choi hyung jin<in>au)#2 (choi hyung jin<in>au)#3 (choi hyung jin<in>au)#4 (choi hyung jin<in>au)#5 (choi hyung jin<in>au)

Indexed by
 Inspec

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE -



Welcome United States Patent and Trademark Office

Search Results
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "(choi hyung jin<in>au)"

Your search matched 2 of **1589326** documents.
☒ e-mail
A maximum of 100 results are displayed, 25 to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

(choi hyung jin<in>au)

☐ Check to search only within this results set
Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IET JNL IET Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IET CNF IET Conference Proceeding

IEEE STD IEEE Standard

[Select All](#) [Deselect All](#)

- ☐ 1. **Frequency Domain MMSE Equalization with Moving FFT for MBOK DS-UV**
Kang, Shin-Woo; Imn, Se-Bin; Choi, Hyung-Jin;
Software in Telecommunications and Computer Networks, 2006. SoftCOM 2006 Conference on
Sept. 29 2006-Oct. 1 2006 Page(s):286 - 290
Digital Object Identifier 10.1109/SOFTCOM.2006.329767
[AbstractPlus](#) | Full Text: [PDF\(4063 KB\)](#) IEEE CNF
[Rights and Permissions](#)
- ☐ 2. **A new lock detection algorithm for QPSK digital demodulator**
Yi KyungHa; Jung SeungChul; Kim YongHoon; Choi Hyung Jin;
Personal, Indoor and Mobile Radio Communications, 1996. PIMRC'96., Seven International Symposium on
Volume 3, 15-18 Oct. 1996 Page(s):848 - 852 vol.3
Digital Object Identifier 10.1109/PIMRC.1996.568401
[AbstractPlus](#) | Full Text: [PDF\(460 KB\)](#) IEEE CNF
[Rights and Permissions](#)

 Indexed by
[Help](#) [Contact Us](#) [Privacy & :](#)

© Copyright 2006 IEEE -



Welcome United States Patent and Trademark Office

[Search Session History](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Mon, 25 Jun 2007, 11:49:50 AM EST

Edit an existing query or
compose a new query in the
Search Query Display.

Search Query Display

Select a search number (#)
to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- [#1](#) (choi hyung jin<in>au)
- [#2](#) (choi hyung jin<in>au)
- [#3](#) (choi hyung jin<in>au)
- [#4](#) (choi hyung jin<in>au)
- [#5](#) (choi hyung jin<in>au)
- [#6](#) ((filter*<paragraph>(or(difference,subtrac*,error))<paragraph>frequenc*)<in>metadata)
- [#7](#) ((filter*<paragraph>(or(difference,subtrac*,error))<paragraph>frequenc*)<in>metadata)<paragraph>(or(image,video))
- [#8](#) ((filter*<paragraph>(or(difference,subtrac*,error))<paragraph>frequenc*)<in>metadata)<paragraph>(or(image,video))
- [#9](#) ((filter*<paragraph>(or(difference,subtrac*,error))<paragraph>frequenc*)<in>metadata)
- [#10](#) ((filter*<paragraph>(or(difference,subtrac*,error))<paragraph>frequenc*)<in>metadata)<paragraph>(or(image,video))<paragraph>noise
- [#11](#) ((filter*<paragraph>(or(difference,subtrac*,error))<paragraph>frequenc*)<in>metadata)<paragraph>(or(image,video))<paragraph>noise

Indexed by
 Inspect

[Help](#) [Contact Us](#) [Privacy &](#)

© Copyright 2006 IEEE –

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	498	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 freq\$6)	USPAT	2007/06/25 21:11
2	BRS	L2	562	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6))	USPAT	2007/06/25 21:12
3	BRS	L3	1	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) with (basic or process\$3) near2 (freq or band))	USPAT	2007/06/25 21:15
4	BRS	L4	13	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) with (basic or process\$3) near2 (freq\$6 or band))	USPAT	2007/06/25 21:19
5	BRS	L5	5	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) with (basic or process\$3) near2 (freq\$6 or band))	US- PGPUB	2007/06/25 21:20

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	13	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) with (basic or process\$3) near2 (freq\$6 or band))	USPAT	2007/06/25 21:20
7	BRS	L7	5	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) with (basic or process\$3) near2 (freq\$6 or band))	US- PGPUB	2007/06/25 21:20
8	BRS	L8	9	filter\$3 same ((difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) with (basic or process\$3) near2 (freq\$6 or band))	USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/25 21:22
9	BRS	L9	22	filter\$3 same (difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) same (video or image)	US- PGPUB	2007/06/25 21:23
10	BRS	L10	63	filter\$3 same (difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) same (video or image)	USPAT	2007/06/25 21:35

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	97	filter\$3 same (difference or subtract\$3) with (desir\$5 or select\$5) near2 (band or freq\$6) same (video or image)	USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/25 21:35

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	12009	((detect\$3 or determin\$3 or obtain\$3) with frequency with characteristic)	USPAT	2007/06/25 20:06
2	BRS	L2	0	1 same ((select\$3 or choos\$3) with leve)	USPAT	2007/06/25 19:50
3	BRS	L3	134	1 same ((select\$3 or choos\$3) with level)	USPAT	2007/06/25 19:51
4	BRS	L4	14	1 same ((select\$3 or choos\$3) with level) same (video or image)	USPAT	2007/06/25 19:58
5	BRS	L5	35	1 same ((select\$3 or choos\$3) with (band or level)) same (video or image)	USPAT	2007/06/25 20:06
6	BRS	L6	5101	((detect\$3 or determin\$3 or obtain\$3) with frequency with characteristic)	US-PGPUB	2007/06/25 20:08
7	BRS	L7	20	6 same ((select\$3 or choos\$3) with (band or level)) same (video or image)	US-PGPUB	2007/06/25 20:09
8	BRS	L8	15187	((detect\$3 or determin\$3 or obtain\$3) with frequency with characteristic)	USOCR; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/25 20:08

	Type	L #	Hits	Search Text	DBs	Time Stamp
9	BRS	L9	85	8 same ((select\$3 or choos\$3) with (band or level)) same (video or image)	USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/25 20:09

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	55	(difference or error or subtract\$3) with (desired or optimum) with frequenc\$3 with (process\$3 or basic)	USPAT	2007/06/25 20:23
2	BRS	L2	11	filter\$3 with (difference or error or subtract\$3) with (desired or optimum) with frequenc\$5 with (process\$3 or basic)	USPAT	2007/06/25 20:25
3	BRS	L3	11	filter\$3 with (difference or error or subtract\$3) with (desired or optimum) with frequenc\$5 with (process\$3 or basic)	USPAT	2007/06/25 20:27
4	BRS	L4	0	filter\$3 same ((difference or subtract\$3) with (desir\$5 near2 frequenc\$5) with (process\$3 or basic) near2 frequenc\$5)	USPAT	2007/06/25 20:28
5	BRS	L5	0	(difference or subtract\$3) with (desir\$5 near2 frequenc\$5) with (process\$3 or basic) near2 frequenc\$5	USPAT	2007/06/25 20:29
6	BRS	L6	0	(difference or subtract\$3 or distance or error) with (desir\$5 near2 frequenc\$5) with (process\$3 or basic) near2 frequenc\$5	USPAT	2007/06/25 20:29

	Type	L #	Hits	Search Text	DBs	Time Stamp
7	BRS	L7	225	(difference or subtract\$3 or distance or error) with (desir\$5 near2 frequenc\$5)	USPAT	2007/06/25 20:30
8	BRS	L8	22	filter\$3 same (difference or subtract\$3 or distance or error) with (desir\$5 near2 frequenc\$5)	USPAT	2007/06/25 20:33
9	BRS	L9	15	filter\$3 same (difference or subtract\$3 or distance or error) with (desir\$5 near2 frequenc\$5)	US-PGPUB	2007/06/25 20:36
10	BRS	L10	214	(difference or subtract\$3 or distance or error) with ((optimum or desir\$5) near2 frequenc\$5)	US-PGPUB	2007/06/25 20:39
11	BRS	L11	1	(difference or subtract\$3 or distance or error) with ((optimum or desir\$5) near2 frequenc\$5) with basic	US-PGPUB	2007/06/25 20:40
12	BRS	L12	0	(difference or subtract\$3 or distance or error) with ((optimum or desir\$5) near2 frequenc\$5) with basic	USPAT	2007/06/25 20:40
13	BRS	L13	269	(difference or subtract\$3 or distance or error) with (frequenc\$5 near2 basic)	USPAT	2007/06/25 20:41

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	37	filter\$3 same (difference or subtract\$3 or distance or error) with (frequenc\$5 near2 basic)	USPAT	2007/06/25 20:42
15	BRS	L15	2	filter\$3 same (difference or subtract\$3 or distance or error) with (frequenc\$5 near2 basic) with (desir\$5 or reference)	US- PGPUB	2007/06/25 20:43
16	BRS	L16	8	filter\$3 same (difference or subtract\$3 or distance or error) with (frequenc\$5 near2 basic) with (desir\$5 or reference)	USPAT	2007/06/25 20:47
17	BRS	L17	5	filter\$3 same (difference or subtract\$3 or distance or error) with (frequenc\$5 near2 basic) with (desir\$5 or reference)	USOCR ; FPRS; EPO; JPO; DERWE NT; IBM_T DB	2007/06/25 20:47

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	21653	(detect\$8 or charact\$6 obtain\$3 or deter\$8 or character\$8) with (spatial oimage or video) with (busyness or activit\$8 or freq\$8 or resolution)	USPAT	2007/06/26 14:14
2	BRS	L2	48641	(detect\$8 or charact\$6 obtain\$3 or deter\$8 or character\$8) with (spatial or image or video) with (busyness or activit\$8 or freq\$8 or resolution)	USPAT	2007/06/26 14:15
3	BRS	L3	42211	(detect\$8 or charact\$6 obtain\$3 or deter\$8 or character\$8) with (image or video) with (busyness or activit\$8 or freq\$8 or resolution)	USPAT	2007/06/26 14:15
4	BRS	L4	3182	((detect\$8 or charact\$6 obtain\$3 or deter\$8 or character\$8) with (pixel or image or video) with (busyness or freq\$8 or resolution)).ab.	USPAT	2007/06/26 14:16
5	BRS	L5	71	((detect\$8 or charact\$6 obtain\$3 or deter\$8 or character\$8) with (pixel or image or video) with (busyness or freq\$8 or resolution)).ti.	USPAT	2007/06/26 14:17

	Type	L #	Hits	Search Text	DBs	Time Stamp
6	BRS	L6	44	((detect\$8 or charact\$9) with (pixel or image or video) with (busyness or freq\$8 or resolution)).ti.	USPAT	2007/06/26 14:19
7	BRS	L7	2565	((detect\$8 or charact\$9) with (pixel or image or video) with (busyness or freq\$8 or resolution)) same (difference or subtract\$3)	USPAT	2007/06/26 14:22
8	BRS	L8	1809	((detect\$8 or charact\$9) with (pixel or image or video) with (busyness or freq\$8 or resolution)) same (difference or subtract\$3) with (resolution or freq\$8)	USPAT	2007/06/26 14:20
9	BRS	L9	429	8 same filter\$3	USPAT	2007/06/26 14:20
10	BRS	L10	1660	((detect\$8 or charact\$9) with (pixel or image or video) with (busyness or freq\$8 or resolution)) same ((difference or subtract\$3 or differ\$8) with (resolution pixel with freq\$8))	USPAT	2007/06/26 14:24

	Type	L #	Hits	Search Text	DBs	Time Stamp
11	BRS	L11	1001	((detect\$8 or charact\$9) with (pixel or image or video) with (busyness or freq\$8 or resolution)) same ((difference or subtract\$3 or differ\$8) with (resolution pixel with freq\$8)) and filter\$8	USPAT	2007/06/26 14:24
12	BRS	L12	193	((detect\$8 or charact\$9) with (pixel or image or video) with (busyness or freq\$8 or resolution)) same ((difference or subtract\$3 or differ\$8) with (resolution pixel with freq\$8)) same filter\$8	USPAT	2007/06/26 14:26
13	BRS	L13	27	((detect\$8 or charact\$9) with (pixel or image or video) near3 (busyness or freq\$8 or resolution)) same ((difference or subtract\$3 or differ\$8) near2 (resolution pixel with freq\$8)) same filter\$8	USPAT	2007/06/26 14:28

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	5	((detect\$8 or charact\$9) with (pixel or image or video) near3 (busyness or freq\$8 or resolution)) same ((difference or subtract\$3 or differential) near2 (resolution pixel with freq\$8)) same filter\$8	USPAT	2007/06/26 14:28